"Support your Local Retailer" ("

Due to the specialist nature of our fires, we strongly recommend you support your local retailer to receive the best technical advice, installation requirements and after sales service.



This fire Gives you a higher heat output than your average fire



Crystal Fires 5 year Guarantee subject to terms and conditions. see www.crystalfires. co.uk for full T&C's

Approved Company



REG No. 517 567







1 Valentines Building, Aintree Racecourse Business Park, Aintree, Liverpool L9 5AY Telephone: 0151 521 3222 • Fax: 0151 521 1222 • Web: www.crystalfires.co.uk



Monarch Trim & Front

NEW & EXCLUSIVE from Crystal Fires for 2013



Celebrating 23 Years in the Trade

In 1990 two brothers, Chris, a gas engineer now with over 30 years of experience and Ian, a skilled sheet metal worker, combined their expertise and opened a retail outlet in Liverpool selling fires made by lan to be then installed by Chris.

Over the years Crystal Fires have worked with the British Gas Testing House for their product development, approvals and licensing and have gone from strength to strength, winning awards on the way for their original innovative designs.

23 years on Crystal Fires are one of the market leaders due to an extensive range of contemporary and traditional Living Flame gas fires, always with the main focus on build quality and product efficiency. This is demonstrated in abundance with the release of their new glass fronted Manhattan and Miami hole in the wall fires.

Directors quote;

"We have gone from retailing in Liverpool out of a small fireplace showroom to manufacturing in an extensive factory overlooking the historic Aintree Racecourse, supplying our fires to retailers nationwide. Fireplace showrooms like to sell our fires because they know that every single Crystal Fire has been designed, manufactured, assembled, tested and packed entirely by ourselves in Great Britain, and that is why we can confidently offer our Five Year Guarantee."



Manufactured in Great Britain

Director



Hearth & Home Exhibition


Category C - Fireplace Suite

Finalist Category E - Product of the

Finalist Category A - Appliance of











Contents
































Page 24

Florida (With Fan Covector)

The Florida glass fronted gas fire has both style and performance. With a choice of trim finishes, cream or black interior and the option of logs, pebbles or driftwood, this fire is designed to suit any room setting. The Florida has one of the best looking flame patterns on the market and comes with remote control as standard. Also with Fan Covector for additional heat output.




Opening Size Required: width 750mm x Height 490mm x Depth 340mm



	300mm	
Gas Input:	2.9kW - 5.5kW	
Heat Output:	Now Up to 4.2kW	Florida with Copper tri
	Plus Fan Convector	Brushed outer with Log
inish:	Black Texture	



Florida with Black trim and Brushed outer with Logs





Florida with Black trim and



ODS:



Yes









Florida with Copper trim, Pebbles and Black Brick Interior




Boston

The Boston glass fronted gas fire has both style and performance. With a choice of trim finishes, cream or black interior and the option of logs, pebbles or driftwood, this fire is designed to suit any room setting. The Boston has one of the best looking flame patterns on the market and comes with remote control as standard.



Opening Size Required: width 750mm x Height 490mm x Depth 340mm



Gas Input:	2.9kW - 5.5kW
Heat Output:	Now Up to 4.2kW
Finish:	Black Texture
	Bronze
	Graphite Grey
	Chrome
	Brushed
Control Options:	Remote
Fuel Options:	Logs
	Pebbles
	Driftwood
Flue Type	
Class 1:	Yes
Class 2:	Yes
Precast Flue:	No
LPG:	No



ODS:









Boston with Copper trim and



Boston with Black trim and




Boston with Chrome trim and



Boston with Graphite trim, Logs and Black Brick Interior



Beautifully designed, high efficient glass fronted hole in the wall will enhance any living room. Now available with cream or black interior and we have added driftwood to the fuel options.



Cas Innut:	2.9kW - 5.5kW
Gas Input:	
Heat Output:	Now Up to 4.2kW
	(High Efficiency)
Finish:	Black Texture
	Bronze
	Graphite Grey
	Chrome door trim
	Brushed door trim
Control Options:	Remote
Fuel Options:	Logs
	Pebbles
	Driftwood
Flue Type	
Class 1:	Yes
Class 2:	Yes
Precast Flue:	No
LPG:	No
ODS:	Yes



Manhattan with Bronze trim and Black interior



Manhattan with Black trim and Black interior




Manhattan in Black with Chrome door trim



5

Miami

This stunning award winning, high efficiency glass fronted fire has a panoramic design and realistic fuel effect, which makes the Miami one of the best looking fires on the market. Available with cream or black interior, we have also added Driftwood to the fuel options





Gas Input:	2.9kW - 5.5kW
Heat Output:	Now Up to 4.2kW
	(High Efficiency)
Finish:	Black Texture
	Bronze
	Graphite Grey
	Chrome door trim
	Brushed door trim
Control Options:	Remote
Fuel Options:	Logs
	Pebbles
	Driftwood
Flue Type	
Class 1:	Yes
Class 2:	Yes
Precast Flue:	No
LPG:	No
ODS:	Yes



(see front cover)



Miami with Copper trim and Black interior













Miami with Grey trim and Black




Option Range


This is a range cleverly consisting of five interchangeable facias. All the pictures of the Option range in this brochure are shown with the Gem open fronted High Output gas fire; however you now also have the choice of our Montana glass fronted High Efficiencey fire. Choosing the Option trim with the Montana fire could save you up to 35% gas, takes the efficiency to 81% and adds an extra fuel option of logs.

Option Range also available with Montana High Efficiency Fire

Gas Input: Gem	4.1kW - 6.9kW
Gas Input: Montana	2.6kW - 5.2kW
Heat Output:	Up to 4.2kW
Finish:	Chrome
	Brushed
	Graphite
	Copper
	Black
Control Options:	Manual
	Remote
Fuel Options:	Coals
	Pebbles
	Campfire (Montana only)
Flue Type	
Class 1:	Yes
Class 2:	Yes
Precast Flue:	No
LPG:	Yes (Gem with Fixed Fuel Only)
ODS:	Yes



Depth Gem: 230mm Montana: 270mm



Option 2,3,4,5 Depth Gem: 230mm Montana: 270mm

Opening sizes required 415mm wide x 570mm high Depth 250mm with Gem Fire 320mm with Montana



















Royale (4 Sided)


The Royale 4 sided, shown here with the Gem open fronted gas fire, is now available with the glass fronted Montana H.E fire. Both versions are capable of an impressive 4.2KW of heat, however choosing the Montana Royale can save you up to 35% in running costs and also adds Campfire Logs to the fuel options.

Royale also available with Montana High Efficiency Fire

Gas Input: Gem	4.1kW - 6.9kW
Gas Input: Montana	2.6kW - 5.2kW
Heat Output:	Up to 4.2kW
Finish:	Chrome
	Black
	Brushed
	Bronze
	Graphite Grey
Control Options:	Manual
	Remote
Fuel Options:	Coals
	Pebbles
	Campfire (Montana only)
Flue Type	
Class 1:	Yes
Class 2:	Yes
Precast Flue:	No
LPG:	Yes (Gem with Fixed Fuel only)
ODS:	Yes



Royale 4 sided in black



Depth required with Montana is 320mm










Royale with Montana fire 81% efficient and additional option of campfire logs.




Montana H. E.

(Glass Fronted)

The Montana high efficiency fire is a superb looking deep bed, glass fronted living flame gas fire which convects up to 4.2kw of heat into your room and can save you up to 35% in running costs compared to an open fronted fire. You have a choice of trim finishes and we have now added Campfire Logs to the fuel options.







Montana in Chrome with Campfire Logs













Electric Range

One of the most outstanding, realistic electric fires on the market giving a 2kW of heat. Available with Monarch and Grace Contemporary trims. (Monarch trim exclusive to Crystal Fires)



Grace Contemporary trim with Electric inset fire

Electric Local	12
Electric Input:	13 amp
Heat Output:	Up to 2kW
Trim:	Monarch
	Brass
	Black
	Grace Contemporary
Control Options:	Manual
Control Options.	Marian
Fuel Options:	Coals
	Pebbles
	Driftwood
Info	
Settings	Low 1Kw
	High 2Kw



Monarch trim with Electric inset fire
















Gem

One of the most outstanding, realistic and hottest open fronted fires on the market giving a massive 4.2kW of heat. Available with chrome or black inner sides. (ask your retailer for details)



Gas Input:	4.1kW - 6.9kW
Heat Output:	Up to 4.2kW
Finish:	Chrome
	Brass
	Black
	Contemporary
	Majestic
Control Options:	Manual
	Remote
	Hi Level
Fuel Options:	Coals
	Pebbles
Flue Type	
Class 1:	Yes
Class 2:	Yes
Precast Flue:	No
LPG:	Yes (Fixed Fuel Only)
ODS:	Yes



Gem in Brass with the Grace Fret

















Monarch & Grace Contemporary trim are exclusive to Crystal Fires



Super Radiant & Slimline Radiant

The only difference between the Super Radiant and Slimline Radiant fires is the depth. Both fires have the same trim options & can produce an impressive 3.9kw, creating a vibrant red fuel bed glow and a fantastic looking flame effect.





















grace fret trim and pebbles





Even though the Diamond fire is designed for shallow or Pre-cast Flues and is only 100mm deep, it still produces up to 3.9kw of heat, making it one of the hottest fires of its type on the market.























and tiffany fret



Lisa Surround (with Gem Fire)

The Lisa surround, shown here with the Gem fire, is a wall mounted fire surround that can incorporate any of our 16" gas fires. Also shown below is its little sister the Laura which is the fully inset version without the outer trim. Available in a choice of finishes, ask your retailer for details.

















Lisa surround with Brass trim


Laura with Chrome trim



24

Emerald (with Gem Fire)

This inset hole in the wall fire is beautifully designed and benefits from the immense heat of our gem fire. Also shown below is the Emerald Scoop which is the same specification, just an alternative facia. Please ask your retailer for details.





Overall depth with Gem fire 320mm









4.1kW - 6.9kW Gas Input: Up to 4.2kW **Heat Output:** Trim Finish: Brushed trim Chrome trim Black trim **Control Options:** Manual Remote Fuel Options: Coals Pebbles Flue Type Class 1: Yes Class 2: Yes No Precast Flue: LPG: Yes (Fixed Fuel Only) ODS: Yes



Emerald scoop in Chrome with Gem fire



Sunrise

The award winning Sunrise is the original inspiration behind virtually all contemporary hole in the wall fireplaces on the market today. The Sunrise still remains one of our best selling fires in the range.

Gas Input:	4.1kW - 6.9kW
Heat Output:	Up to 3.9kW
Trim Finish:	Brushed
Control Options:	Manual
	Remote
Fuel Options:	Coals
	Pebbles
	Campfire Logs
Flue Type	
Class 1:	Yes
Class 2:	Yes
Precast Flue:	No
LPG:	No
ODS:	Yes














Opening Size Required Standard: 780mm x 570mm x 325mm Petite: 620mm x 420mm x 325mm Petite Trim: 690mm x 530mm x 325mm

Saphire

Striking hole in the wall is designed for pre cast flues and produces up to 3kw output.


Gas Input:	3.8kW - 6.2kW
Heat Output:	Up to 3kW
Finish:	All Brushed
	Black & Brushed
	Black & Chrome
Control Options:	Manual
	Remote
Fuel Options:	Driftwood
	Black Driftwood
Flue Type	
Class 1:	Yes
Class 2:	Yes
Precast Flue:	Yes
LPG:	No
ODS:	Yes












Opening Size Required: 340mm x 410mm x 125mm

Jewel Hole in the Wall

Jewel Hole in the Wall is a decorative 2kw unit incorporating a hidden burner enhanced by coloured pebbles.

Gas Input:	4.1kW - 6.9kW
Heat Output:	Up to 2kW
Finish:	Black
	Stone
	Bronze
	Graphite
	Black/Silver
Control Options:	Manual
	Remote
Fuel Options:	Pebbles
Flue Type	
Class 1:	Yes
Class 2:	Yes
Precast Flue:	No
LPG:	No
ODS:	Yes









Opening Size Required: 770mm x 420mm x 305mm

Fuel Beds, Flue Types

Pictures shown for referance only, fuel beds may differ in appearance throughout the range.



Coal



Chimney - Class 1

A conventional brick or stone chimney as used for a solid fuel appliance, with a minimum effective cross section dimension of 225x225 with a minimum of *3m effective height.*

A lined flue with a minimum diameter of 175mm.



Log



Class 2

A recessed flue box, having a minimum diameter of 125mm and a minimum effective overall height of 3m.

> A brick chamber in an existing brick or stone chimney with a 125mm flue liner providing it is sealed at the top and bottom of the existing stone chimney.



Campfire



Pre - Cast Flue

A precast flue with a minimum effective height of 3m. Due to the restricted depth of precast flues they are normally suitable for shallow fires.

Example: Diamond, Slimline and Saphire. To bs1289





Remote Control Variable flame height control for operation in total comfort.

Trim Top Control

The trim switch, located on the side of the appliance makes operating your appliance even easier. The fire can also be operated manually, should the need arise.

Modern gas fires are fitted with an O.D.S. (Oxygen Depletion Sensor).

This is designed to shut off the gas supply to the burner in the event of oxygen levels becoming too low, due to a blocked flue or poor ventilation.